




National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.





AUTO SAFETY HOTLINE (800) 424-9393 Wash. D.C. Area 366-0123

PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 90

CASE NO. 6377

TYPE OF ACCIDENT CAR/PEDESTRIAN/CROSSING ROAD, STRAIGHT

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.) Vehicle #1 WAS TRAVELING WEST ON THE ROAD WAY AND PEDESTRIAN #1 WAS CROSSING THE ROAD WAY IN A NORTHERLY DIRECTION. THE FRONT OF VEHICLE #1 CONTACTED PEDESTRIAN #1 ON his Right Side. The PEDESTRIAN ROTATED ONTO THE hood OF THE VEHICLE AND SLID INTO THE WIND SHIELD.

THE PEDESTRIAN ROLLED OFF hood FROM THE PASSENCER SIDE AND FELL TO THE GROUND. The vehicle came to Rest Immediately AFTER AFTER IMPACT.

	B. PEDESTRIAN PROFILE								
	Pedestrian	Treatment/		Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
Ì	No.	Age	Sex	Mortality	Body Region	Body Region Ana. Struc.	AIS	Injury Source	
	01	59	MALE	TRANSPORTED Released	Lower Extranity	Skeletal	3	Bumper	

Dady Danier	Type of Anatomic Structure	Abbreviated Injury Scale
Body Region	Type of Anatomic Structure	Abbreviated injury could
Head	Whole Area	(1) Minor injury
Face	Vessels	(2) Moderate injury
Throat	Nerves	(3) Serious injury
Chest	Organs	(4) Severe injury
Abdomen/Pelvis	Skeletal	(5) Critical injury
Spine	Head-LOC	(6) Maximum (untreatable)
Upper Extremity	Skin-Burn	(7) Injured, unknown severity
Lower Extremity	Skin-Other	
External		

	Class		Most Severe Damage Based on Vehicle Inspection			
Vehicle No.		Year/Make/Model	Damage Plane	Damage Description		
01	SUB COMPACT (MINI)	1992 CHEVORLET GEO METRO	FRONT	CRACKED WINDShield, Serapes, Smudges, ETC.		

DO NOT SANITIZE THIS FORM

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration

PSU No. 90 Case Number-Stratum 637P Indicate North - ROAD CONSTRUCTION Δ \triangle VI FRP 000 Chandelized Device

Road Construction

Barricade




ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY National Highway Traffic Safety Administration Indicate PSU No. Case Number - Stratum 631 P North Grand power p diat projet izuadop ility Pole Rough Roadma)



ACCIDENT COLLISION DIAGRAM





ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY National Highway Traffic Safety Administration Indicate PSU No. North Case Number - Stratum O S ب م ,₀,

W/B 89.2 0/L 374. 157. 0/w 62

U.S. Department of Transportation National Highway Traffic Safety


PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration Case Number-Stratum $_{6}$ $_{3}$ $_{7}$ Primary Sampling Unit Number SCALED DIAGRAM decimanti interessi pointenditere once line. (elauve to physical regions: north arrow placed on diagram commentation of all the dentations of physical cyclence in cloding (frepplicable) grade measurements for all applicable roadways scaled representations of the physical plant including: a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) (ic)); sequilicantoquismodet(ic)); b) all traffic controls (e.g., lights, signs) scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either: Pedestrans Faves Direction physical evidence, or Venice: Taxel Directors reconstructed accident dynamics alfroad/toadway delineation (e.g., crosswalks, curbledge lines; lane markings, medians, pavement markings; parked vehicles, poles; signs, etc.).

3) Number of Travel Lanes b) all traffic controls (e.g., lights; signs) South Curb LINE Reference Point: MTILITV Reference Line: Distance and Direction Distance and Direction Item from Reference Point from Reference Line Sche

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line
Y		
		<u> </u>
		·
	·	
· · · · · · · · · · · · · · · · · · ·		
·		
		<u> </u>
<u> </u>		



PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number $\underline{9}$ $\underline{\mathcal{O}}$	Case No	umber-Stratum <u>6</u> <u>3</u> <u>7</u> <u>P</u>
PEDESTRIANIACCIDENT/COB	LISIONDATACOLLECTION-	SCALED DIAGRAM
document references positional efector continue services relative to physical features.	Setiaces type (%) (%) (%)	* north arrow placed on diagram
documentation of all accident induced physicals and evidence including (if applicable) (if	Surface Condition	grade measurements for all applicable roadways
a) vehicle stict matre	Coefficient Christian	 scaled representations of the physical plant including:
b) pedestrian contacts with grounder object	Grade (vih) Meastrement	a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) Vehicle/pedestrian point of impact (POI) d) location of pedestrian separation point from vehicle	a) stimpact b) between impact and inal rest	scaled representations of the vehicle and pedestrian at pre-impact, impact, and final
finel resting points/ERIS corpedestrian and	Pedestrian Travel Direction	rest based upon either: a) physical evidence, or
vehicle documentation of the physical plant including, a) altroadhoedway delineation (e.g., crosswalks, curb/edge/thes; lane markings;	Vehicle Travel Directions Number of Travel Cases	b) reconstructed accident dynamics
medians, payement markings, parked vehicles, poles, signs, etc.) x ? b) all traffic controls (e.g., lights, signs)		
Reference Point:	Reference Line:	
Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
POI ped	. 6 W	10.1 N
est FRF px &	12.0 h	st. orea of
		J road



National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1	Primary	Sampling	Unit Numbe
١.	rillialy	Sampling	Offic Marringe

2. Case Number - Stratum

637 P

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident

1540

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ____SS15 Administrative Use

0

7. ✓ SS16 Pedestrian Crash Data Study

1

8. SS17 Impact Fires

9. SS18

0

10. SS19

0

NUMBER OF EVENTS

11. Number of Recorded Events

in This Accident

0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Number	Vehicle Number	Class Of Area of or		Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage			
12. <u>0 1</u>	13. <u>0</u> <u>1</u>	14. 0 /	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0 0</u>	18. <u>0</u>			

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 2. Case Number - Stratum 3. Pedestrian Number 0. 1	10t Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknownpounds X .4536 =kilograms
3. Fedestial Number	
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter.	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
(999) Unknown (999) Unknown (999) Linches X 2.54 = 175 centimeters 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters	(9) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	 (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
inches X 2.54 =centimeters 9. Pedestrian's Height - Ground to Shoulder	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	40 B. J. Alicela Assa Orientation
	18. Pedestrian's Arm Orientation
	at Initial Impact (01) At sides
15. Pedestrian's First Avoidance Actions	(02) Folded across chest
15. 7 EdeStrains 7 mst 7 (Voldanies 7 lotterie	(02) Folded across chest (03) Hands clasped behind back
(00) No avoidance actions	(04) Hands on hips
(01) Stopped	
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	One as both arrest
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
	(09) Extended, holding object
Used hand(s) to:	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown 63
	19. Pedestrian's Leg Orientation
	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
PEDESTRIAIS ORIENTATION AT IMIT ACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
at Initial Impact	(06) Left foot off the ground
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) To right	(98) Other (specify):
(4) Up	(99) Unknown
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, said to windshield (03) Carried by vehicle, position unknown
	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown straight forward (06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
j	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	0 🔀	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given 	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source:		Nonfatal (3) Hospitalization
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	7	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	0	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown
]	

STOP - VARIABLES 30 THROUGH 37 AR	ECOMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (3) Unknown if blood given (3) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO3 (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO3 (96) ABGs reported, HCO3 unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORDS NO [] UPDATE CANDIDATE?	YES[]

Form Approved O.M.B. No. 2127-0021

PEDESTRIAN INJURY FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

90

3. Pedestrian Number

0 1

2. Case Number - Stratum

637P

4. Blank

BEST AVAILABLE COPY

XX

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


				AIS-90					Injury				
	Source of Injury Data	y Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
ine in i	5. <u>3</u>	6. <u>8</u>	7. <u>9</u>	8.0 6	9. <u>0</u> 2	- _{10.} _/	11./_	127/8	13. <u>/</u>	14.	15. 2	16. 2	-17.2
2nd	18. <u>3</u>	19. 8	20.	21./6	22. <u>06</u>	23.2	24./_	25.700	26	27!	28	29	30.2
								38. <u>700</u>				1. 5.4	4.
4th								-51. <u>700</u>					_
5th								64. <u>703</u>					
6th	70. <u>3</u>	71.8	72.2	73. <u>0</u> 2	74. 02	75	76	77. 703 Lica	78. 1 plete	79. <u>/</u>	80. <u>}</u>	81.	82.5
7th					- 10 m			90. <u>718</u>					
8th								103. <u>77. C</u>		lass.			
								7116. <u>770</u>				100	
10th	122. <u>/</u>	123	124. /	125.0	26. <u>U</u>	127	128. /	129. <u>775</u>	130 👤	131. <u>/</u>	132.	133	134

HS Form 0435I (10/95)

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

					PEDES	STRIA	LNI N	URY DAT	Ā				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
114		2	<u>9</u>	<u>02</u>	02	-1	<u>}</u>	775	- <u>3</u>	<u>'</u>	2	<u>3</u>	<u>3</u>
1 - 12 - 3 - 5	3	2 °	9_	04	02	- <u>-</u> - <u>/</u>		774	2	<u>′</u>	_2	_	2
14ti			4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -						——————————————————————————————————————				
161			-										
17ti										_			
19th			_						<u>.</u>	. -			
21s													
22nd													
24th						_							

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Dent (2) Hospital/medical records other than Large deformation DIRECT/INDIRECT INJURY emergency room (e.g., discharge Cracked, fractured, shattered summary) Direct contact injury Separated from vehicle Emergency room records only (including (2) Indirect contact injury Noncontact injury associated X-rays or other lab reports) (3) Noncontact injury Other specify: (7) Injured, unknown source Unknown (4) Private physician, walk-in or emergency clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) (0) Injury not from vehicle contact UNOFFICIAL (1) No residual damage (5) Lay coroner report Flat-Wide (≥ 15 centimeters) Surface only damage (3) Rounded (contoured) (6) E.M.S. personnel Crush depth >0 to 2 centimeters Rounded edge (4) (7) Interviewee Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters (5) Sharp edge (8) Other source (specify): Other (specify): Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale Specific Anatomic Structure Spine (02) Cervical (04) Thoracic **Body Region** Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury Head (06) Lumbar (2) Moderate injury (2) Face (3) Serious injury (3) (4) (5) Neck (06) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints Severe injury Thorax are assigned consecutive two digit numbers beginning with 02 (5) Critical injury Maximum (untreatable) (08) Skin - Avulsion Abdomen (10) Amoutation (6)(6) (20) Burn Injured, unknown severity Upper Extremity (7)(20) Crush (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical Level of Injury Lower Extremity (8) **Aspect** Unspecified Specific injuries are assigned consecutive two-digit beginning with 02. Type of Anatomic Structure Right (2)Left Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (3) Bilateral Whole Area To the extent possible, within the Central (2) Vesseis organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (5) (3) Anterior Nerves Organs (includes muscles/ (6) (10) Concussion Posterior (7) Superior ligaments) Skeletal (includes joints) (8) Inferior (5) Head - LOC Skin structure. 99 is assigned to any injury NFS as to lesion or severity. Unknown Whole region **INJURY SOURCE** Wheels / tires FRONT 744 B pillar 790 Left front wheel / tire 700 Front bumper 745 C pillar 791 Right front wheel / tire 701 Front lower valance/spoiler 702 Front grille 746 D pillar 792 Left rear wheel / tire 748 Other pillar (specify): 793 Right rear wheel /tire 703 Hood edge and/or trim 798 Other wheel / tire (specify): _ 704 Hood ornament (fixed) 749 Right side roof rail 750 Right side door surface 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object (specify): 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 805 Drive shaft 758 Other right side object Left Side Components (specify): 806 Catalytic converter 720 Front fender side surface 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar **Back Components** 724 B pillar 760 Rear (back) bumper 810 Rear suspension 761 Tailgate 818 Other undercarriage component 725 C pillar 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 769 Unknown back component Accessories 820 Air scoop, deflector 729 Left side roof rail 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle Top Components 822 Emergency lights or bar 770 Hood surface 732 Left side mirror fixed housing 771 Hood surface reinforced by under hood 823 Fog lights 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):_ 735 Left side glazing rearward of B pillar 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 738 Other left side object 775 Windshield glazing 828 Other accessory (specify): 776 Front header (specify): 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 779 Rear header 948 Other object (specify): Right Side Components 780 Hatchback 949 Unknown object in environment 740 Front fender side surface 959 Unknown object on contacting vehicle 781 Rear trunk lid 741 Front antenna 997 Noncontact injury source 788 Other top component (specify): _

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

Certain

(9) Unknown

Probable

SOURCE OF INJURY DATA

medical records

(1) Autopsy records with or without hospital/

OFFICIAL

742 A1 pillar

743 A2 pillar

TYPE OF DAMAGE

999 Unknown injury source

No damage/contact

(0) Injury not from vehicle contact

Scratch (Scuff, Cloth Transfer, Smear)

Restrained?

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level (mg/dl)

Glasgow Coma Scale Score

$$GCSS = 15$$


Units of Blood Given


Arterial Blood Gases


PO2=

PCO,

HCO,









OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

2.0	OFFICIAL RECORDS
1. Primary Sampling Unit Number	9 9 9
2. Case Number - Stratum 6 3 7 P	9. Police Reported Travel Speed
3. Vehicle Number <u>0 1</u>	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	(000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown 35 mph x 1.6093 = kmph 11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present
6. Vehicle Model (specify): 034 Applicable codes are found in your	(7) Not reported (8) No driver present (9) Unknown
NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source:
2 C IM R 2 4 6 8 N 6 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 Left justify; Slash zeros and letter Z (0 and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (O4) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (< 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

	VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15.	Vehicle Curb Weight — Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown O / Le / Le lbs x .4536 = O.7 33 kgs	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
16.	Vehicle Cargo Weight O , O O 0	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
		PRECRASH DATA
	Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event
		(97) Other (specify): (98) No driver present (99) Unknown

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
· ·	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	400)
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	0.1
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(O3) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left (12) Accelerating and steering right
(54) In crossover	(98) Other action (specify):
(55) Backing	(99) Unknown
(59) Unknown travel direction of other motor vehicle	(93) Olikilowii
in lane Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
	(1) No avoidance maneuver
lane line (61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	(5) Fredrash Stability disknown
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	×,	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
	(6) Unknown type of non-interchange (9) Unknown if interchange	7	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
28.	Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown		Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): 35mph Black through Constantion 2ph (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	<u>a</u> >	controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	<u>*</u>	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	7	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

PEDESTRIAN EXTERIOR VEHICLE FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN 2 C 1 M R 2 4 6 8 N 6

Model Year 9

Vehicle Model (specify): METRO

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

STEEL

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

cm

PEV14 Front Bumper Cover Material

Rubber

PEV15 Front Bumper Reinforcement Material

40ew-134cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

cm

PEV19 Front Bumper Lead

cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point


cm

PEV22-Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact



and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

PEV06 Hood	Material	
PEV08 Hood	Length	cm
PEV09 Hood	Width-Forward Opening	cm
PEV10 Hood	Width-Midway	cm
PEV11 Hood	Width-Rear Opening	cm
	VERTICAL MEASUREMENTS	
PEV26 Ground	d Clearance	cm
PEV27 Side B	umper-Bottom Height	cm
PEV28 Side B	umper-Top Height	cm
PEV29 Center	rline of Wheel	cm
PEV30 Top of	Tire	cm
PEV31 Top of	Wheel Well Opening	cm
PEV32 Botton	n of A-Pillar at Windshield	cm
PEV33 Top of	A-Pillar at Windshield	cm
PEV34 Top of	Side View Mirror	cm
	LATERAL MEASUREMENTS	
PEV35 C _L to A	A-Pillar at Bottom of Windshield	cm
PEV36 C _L to A	A-Pillar at Top of Windshield	cm
PEV37 C _L to N	Maximum Side View Mirror Protrusion	cm
	WRAP DISTANCES	
PEV38 Group	d to Side/Top Transition	cm
PEV39 Ground	d to Hood Edge	cm
PEV40 Ground	d to Centerline of Hood (ORIGIN)	cm

ORIGINAL SPECIFICATIONS

Wheelbase	089.2 inches	x 2.54 =	227 cm
Overall Length	147.4 inches	x 2.54 =	<u>374</u> cm
Maximum Width	062.0 inches	x 2.54 =	157 cm
Curb Weight <u>C</u>	7.616 pounds	x .4536 =	\mathcal{Q} , \mathcal{T} $\mathcal{3}$ $\mathcal{3}$ kg
Average Track	053.2 inches	x 2.54 =	<u>/ 35</u> cm
Front Overhang	031 inches	x 2.54 =	<u>079</u> cm
Rear Overhang	0.21.1 inches	x 2.54 =	<u>069</u> cm
Undeformed End Width	/ <u>3</u> 4 . O inches	x 2.54 =	<u>340</u> cm
Engine Size: cyl./displ.	<u>/ 0 0 0</u> cc	x .001 =	<u>/</u> . <u>0</u> L
	<u>O 6 /</u> CID	x .0164 =	1.0 L

INJURY SOURCE

	MADON! SOUNCE	
FRONT		Wheels / tires
700 Front bumper	744 B piliar	790 Left front whee
701 Front lower valance/spoiler	745 C pillar	791 Right front who
702 Front grille	746 D pillar	792 Left rear wheel
703 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear whe
704 Hood ornament (fixed)	749 Right side roof rail	, 798 Other wheel / t
705 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown whee
706 Headlight	751 Right side door handle	
707 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage compon
708 Turn signal/parking lights	753 Right side folding mirror	800 Front cross me
718 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assem
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
719 Unknown front object	756 Rear antenna	803 Exhaust system
·	757 Rear fender or quarter panel	804 Transmission
Left Side Components	758 Other right side object	805 Drive shaft
720 Front fender side surface	(specify):	806 Catalytic conve
721 Front antenna	759 Unknown right side component	807 Muffler
722 A1 pillar	·	808 Floor pan
723 A2 pillar	Back Components	809 Fuel tank
724 B pillar	760 Rear (back) bumper	810 Rear suspensio
725 C pillar	761 Tailgate	818 Other undercar
726 D pillar	762 Hatchback, vertical surface	(specify):
728 Other pillar	768 Other back component	819 Unknown unde
(specify):	(specify):	
729 Left side roof rail	769 Unknown back component	Accessories
730 Left side door surface		820 Air scoop, defic
731 Left side door handle	Top Components	821 Cellular or CB r
732 Left side mirror fixed housing	770 Hood surface	822 Emergency ligh
733 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
734 Left side plazing forward of B pillar	component	824 Luggage, ski, o
735 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify)
736 Left side back fender or quarter panel	773 Cowl area	826 Spare tire
	774 Wiper blade & mountings	827 Spotlight
737 Rear antenna	775 Windshield glazing	828 Other accessor
738 Other left side object	776 Front header	020 01161 20003301
(specify):	777 Roof surface	Other Object or Vehicle
739 Unknown left side component	777 Hoof surface 778 Backlight glazing	947 Ground
	779 Rear header	948 Other object (s
Right Side Components		949 Unknown object
740 Front fender side surface	780 Hatchback 781 Rear trunk lid	959 Unknown objec
741 Front antenna		•
742 A1 pillar 743 A2 pillar	788 Other top component (specify):	997 Noncontact mit

eel / tire

heel / tire

el / tire

eel /tire

tire (specify): _

eel / tire

nents

nember

mbly/Front suspension

em pipe

verter

arriage component

dercarriage component

flector

radio antenna

hts or bar

or bike rack

ory (specify):__

cle in Environment

(specify):_


ect in environment

ect on contacting vehicle

njury source

999 Unknown injury source

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

			POINTS	OF PEDEST	RIAN CONTA	CT		
			PEDEST	RIAN CONTA	CT WORKSHI	ET .		
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL Location (X)	LATERAL . Location (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE
D.	Bumper	.+88	+17	0	LEG		3 9	/
C	Elge.	+67	+24	O	LEG.		(2)	2
7	Hood	+08	+51	0	HIP		1 2 3 9	2
K	Hood	- 15	+34	0	HTP		1(2):1	2
H	Windshiel	-39	+08	3cm	SAFETY HELMET		1 2 3 9	3
D	Bumper	477	-17	0	LEG		1021	2
141	HOOD	+63	-10	1em	LEG		1 2 3 9.	2
							1 2 3 9	
							1 2 3 9	1
							1 2 3 9	
						•	1 2 3 9	·
							1 7 3 9	
							1 2 3 9	
							1 7 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
						·	1 2 3 9	
							1 7 3 8	
							1 2 3 9	
							1 2 1 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

			POINTS	OF PEDEST	RIAN CONTACT	BES	T AVAILABLE COPY
			CHRONO	LOGICAL ORD	ER OF CONTACTS		
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)
1 D	7/8	90	-17	0	Riles	Smude	1 2 3 9
2 D	700	90	-17	ø	Alley	,	O2 3 3
3 D	700	90	-17	O	FXS	1 ,	(1) 2 3 9
poor	700	90	- 68	Ø	Liles -	10-6	D 2:1.5
5H	703	65	-15	1-2	R-shist	dent	Ø 2. 3 9
iH	703	"	-	1-2	R. Hip	Lent	①2 3 S
7/	718	102	-17	none	R. Fost	dynamics	1 ② 3 9
1 K	770	-75	+34	0	Relbow	elbsk seensster Smeer	D 2-3-8
1000	770	-15	0	0	Lelbw	me roled	1 🗷 3 9
115m2	775	-39	120,1	0	e. H.L	ped.	1 2 (0)
none	775	-39	-20	0	c. Had	Eynovies	1 2 🕢 9
12	774		8	•			1 2 🛈
13	ファイ	1	v		1-	si Le arm	1 2 3 9
14							1 2 3 9
15							1 2 3 9
36							1Z3.:#
17						4 .	1 2 3 9
18							1 / 2 / \$ / \$
19							1 2 3 9
20							17273.9
21							1 2 3 9
22							1.2.3.9
23							1 22 3 9
ZA							17 2 33-8
25							1 2 3 9

VEHICLE DIMENSIONS	11. Hood Width Rear Opening / 3 6
2 2 4	Code to the
4. Original Wheelbase 221	nearest centimeter
Code to the nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
	inches X 2.54 = centimeters
inches X 2.54 = centimeters	
5. Original Average Track Width / 35	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian
nearest centimeter	(0) Not damaged(1) Surface scratching only, no residual crush
(185) 185 centimeters or more	(2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
inches X 2.54 = centimeters	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from pedestrian impact
.3	(a) Hakaawa
6. Hood Material	13. Windshield Contact Damage
(1) Plastic (2) Fiberglass	13. Windshield Contact Damage ' no
(3) Steel	From Pedestrian Contact (0) Not contacted by pedestrian
(4) Aluminum	(1) Contacted by pedestrian - not damaged
(5) Stainless Steel	(2) Contacted by pedestrian - damaged
(8) Other (specify):(9) Unknown	(3) Unknown if contacted by pedestrian - not
(3) Olikhowii	damaged (4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
Equipment Manufacturer (OEM)	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	unknown if damaged
(2) OEM replacement	· -
(2) OEM replacement(3) Non-OEM replacement	
	FRONT CONTACT DAMAGE
(3) Non-OEM replacement (9) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements
(3) Non-OEM replacement	Front Vertical Measurements
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material 3
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	Front Vertical Measurements
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches × 2.54 = centimeter 9. Hood Width Forward Opening	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches × 2.54 = centimeter 9. Hood Width Forward Opening Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches × 2.54 = centimeter 9. Hood Width Forward Opening	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown Inches X 2.54 = centimeters 10. Hood Width Midway	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more


17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
18. Forward Hood Opening Code to the nearest centimeter	24. Ground to Top of Windshield Code to the nearest centimeter
(000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	(000) No front contact (500) 500 centimeters or more (999) Unknown inches X 2.54 = centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
Front Wrap Distance Weasurements	SIDE CONTACT DAMAGE Side Vertical Measurements
20. Ground to Forward Hood Opening 057	26. Ground Clearance
nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
(000) No front contact (200) 200 centimeters or more (999) Unknown	nearest centimeter (000) No side contact (150) 150 centimeters or more

		000	Side Lateral Measurements
29.	Centerline of Wheel	000	
	Code to the		
	nearest centimeter		35. Centerline to A-Pillar
	(000) No side contact		at Bottom of Windshield
	(150) 150 centimeters or more		
	(999) Unknown	•	(000) No side contact
			Code to the
	inches X 2.54 =	centimeters	nearest centimeter
			(250) 250 centimeters or more
			(999) Unknown
30.	Top of Tire	000	·
	Code to the		inches X 2.54 = centimeters
	nearest centimeter		
	(000) No side contact		
	(200) 200 centimeters or more		36. Centerline to A-Pillar OOO
	(999) Unknown	**	at Top of Windshield
	(999) Officiowit		Code to the
			nearest centimeter
	inches X 2.54 =	centimeters	(000) No side contact
			(250) 250 centimeters or more
		\circ	
31.	Top of Wheel Well Opening	000	(600)
	Code to the		. inches X 2.54 = centimeter
	nearest centimeter		
	(000) No side contact		
	(250) 250 centimeters or more		37. Centerline to Maximum Side OOO
	(999) Unknown		View Mirror Protrusion
			Code to the
	inches X 2.54 =	centimeters	
			nearest centimeter
32.	Bottom of A-Pillar at Windshield	000	(000) No side contact
	Code to the		(300) 300 centimeters or more
	nearest centimeter		(999) Unknown
	(000) No side contact		
	(250) 250 centimeters or more		inches X 2.54 = centimeter
	(999) Unknown		
			Side Wrap Distance Measurements
	inches X 2.54 =	centimeters	July 11 up Distance (Hendel Chiefle)
			38. Ground to Side/Top Transition OOO
33.	Top of A-Pillar at Windshield	000	Code to the
	Code to the		
	nearest centimeter		nearest centimeter (000) No side contact
	(000) No side contact		
	(300) 300 centimeters or more		(400) 400 centimeters or more
•	(999) Unknown		(999) Unknown
	(000) 0		
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters
34			39. Ground to Hood Edge
	Top of Side View Mirror	O(O(O))	
	Top of Side View Mirror	000	Code to the
	Code to the	000	nearest centimeter
	Code to the nearest centimeter	000	nearest centimeter (000) No side contact
	Code to the nearest centimeter (000) No side contact	000	nearest centimeter (000) No side contact (500) 500 centimeters or more
	Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more	000	nearest centimeter (000) No side contact
	Code to the nearest centimeter (000) No side contact	000	nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown		nearest centimeter (000) No side contact (500) 500 centimeters or more
	Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more		nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown		nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown		nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown

Page 1	1	L
--------	---	---

National Accident Sampling System-Crashworthiness Data System: Pedestrian Exterior Vehicle Form

	•
40. Ground to Centerline of Hood OOO	
Code to the	•
nearest centimeter	
(000) No side contact	
(700) 700 centimeters or more	
(999) Unknown	
. inches X 2.54 = centimeters	
41. Ground to Head Contact $\mathcal{Q}\mathcal{O}\mathcal{O}$	
Code to the	
nearest centimeter (000) No side contact	
(800) 800 centimeters or more	
(998) No head contact	
(999) Unknown	· · · · · · · · · · · · · · · · · · ·
N. S.	
inches X 2.54 = centimeters	
	•
	· -
	•
,	



000000008 90637F00000011 969.0000000000115400100001 000000000000000 01 90637P00010012 969.0010000000000101F72000 9.00 000000005911754608713706713014133406030209670342001415 90637P00010021 1010000000013 9.00 00000000038906021171811222 90637P00010131 9.00 00000000038516062170011222 90637P00010231 9.00 00000000038534083170011222 90637P00010331 9.00 00000000038904021270011211 90637P00010431 9.00 00000000038902021170311333 90637P00010531 9.00 00000000038902021170311333 90637P00010631 9.00 00000000078904021171811222 90637P00010731 9.00 00000000077902021177011222 90637P00010831 9.00 00000000077904021277011222 90637P00010931 9.00 00000000077902021177531253 90637P00011031 9.00 00000000077902021277531233 90637F00011131 9.00 00000000037902021177431233 90637P00011231 9.00 00000000037904021177431222 90637P00011331 9.00 000000009220034032C1MR2468N6 90637P01000041 92110180011142311215211 9.00 000000002271353109606912813612310360510530905707315316 90637P01000051 00001000000000

PEDESTRIAN ASSESSMENT Occupant: 1

11

INTRA ERRORS

OHH1091 2 If TREATMENT PAS26 equals 0, 4 or 5, then

HH1092 WORKING DAYS LOST PAS29 should equal 00, 01, 97 or 99.

0

PSU90 CASE 637P

CURRENT VERSION: 9.00

ERROR SUMMARY SCREEN
PEDESTRIAN STUDY

¥96

	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Υ
Pedestrian Assessment	ō	Ö	1	Υ
Pedestrian Injury	O	0	O	Υ
Pedestrian General Vehicle	e ()	0	0	Υ
Pedestrian Exterior Vehic	le O	O	0	Υ
Total Inter Errors		0	o	
Total Case Errors	0	0	1	